

United States Patent and Trademark Office

V

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/821,528	04/09/2004	Norbert Barth	17440	1288
23389	7590 06/29/2006		EXAMINER	
	COTT MURPHY & PRE	CLEMENT, MICHELLE RENEE		
400 GARDEN SUITE 300	ARDEN CITY PLAZA 300		ART UNIT	PAPER NUMBER
GARDEN CI	GARDEN CITY, NY 11530			
			DATE MAILED: 06/29/2006	6

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/821,528	BARTH ET AL.				
Office Action Summary	Examiner	Art Unit				
	Michelle (Shelley) Clement	3641				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY	/ IS SET TO EVOIDE 2 MONTH/	S) OB THIRTY (30) DAVS				
WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 11 Au	<u>ıgust 2004</u> .					
2a) This action is FINAL . 2b) ⊠ This	This action is FINAL . 2b)⊠ This action is non-final.					
, .,						
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>1-10</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-10</u> is/are rejected.						
7) Claim(s) is/are objected to.	- alastian van dinamant					
8) Claim(s) are subject to restriction and/or	r election requirement.					
Application Papers						
9) The specification is objected to by the Examine	r.					
10)⊠ The drawing(s) filed on <u>09 April 2004</u> is/are: a) accepted or b)⊠ objected to by the Examiner.						
Applicant may not request that any objection to the						
Replacement drawing sheet(s) including the correcting 11) The oath or declaration is objected to by the Ex	• • • • • • • • • • • • • • • • • • • •	• •				
Priority under 35 U.S.C. § 119						
12)⊠ Acknowledgment is made of a claim for foreign a)⊠ All b)□ Some * c)□ None of:	priority under 35 U.S.C. § 119(a)	-(d) or (f).				
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the prior	•	ed in this National Stage				
application from the International Bureau * See the attached detailed Office action for a list of the section for a list	• • • • • • • • • • • • • • • • • • • •	d				
See the attached detailed Office action for a list	or the certified copies flot receive	ou.				
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary					
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) 	Paper No(s)/Mail Da	ate atent Application (PTO-152)				
Paper No(s)/Mail Date	6) Other:					

DETAILED ACTION

Drawings

- 1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the electrical generator must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.
- 2. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(4) because reference character "28" has been used to designate both "the second end portion of the tensioning spring" and "the electrical generator".
- 3. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: 29.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will

AIT OIIII. 3041

be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

- 4. The following is a quotation of the first paragraph of 35 U.S.C. 112:
 - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 5. Claims 1-10 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. It is not clear to the examiner how the end of the tensioning spring (element 29) constitutes an electrical generator or how the drive device (cable line) can drive the electrical generator. The release of the handle lever would only allow the cable to turn the shaft a limited number of turns and it is not clear how this might generate electrical energy.

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. It is noted that the following references are cited as related to mechano-electrical fuses for hand grenades, however in view of the ¶ above, it is not possible to ascertain the invention in such a way as to apply an art rejection to the claims as currently written. Munoz (US Patent # 7,013,809), Cooper (US Patent # 6,082,267), Boyer (US Patent # 5,635,667), Bye (US Patent # 6,924,571), Anderson (US Patent # 3,342,998) and Leslie (US Patent # 2,282,963).

Application/Control Number: 10/821,528 Page 4

Art Unit: 3641

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michelle (Shelley) Clement whose telephone number is 571.272.6884. The examiner can normally be reached on Monday thru Thursday 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Carone can be reached on 571.272.6873. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MICHELLE CLEMENT PRIMARY EXAMINER